

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	Power adj to adj voltage near4 converter and volt\$3 adj meter and (personal adj computer or PC)	US-PGPUB; USPAT	OR	ON	2006/03/15 18:45
S2	0	Power adj to adj voltage near4 converter and volt\$3 adj meter	US-PGPUB; USPAT	OR	ON	2006/03/15 18:45
S3	37	Power near4 voltage near4 converter and volt\$3 adj meter	US-PGPUB; USPAT	OR	ON	2006/03/15 18:52
S4	131	"455"/\$.ccls. and voltmeter	US-PGPUB; USPAT	OR	ON	2006/03/15 18:53
S5	11672	power with voltage and computer and wireless	US-PGPUB; USPAT	OR	ON	2006/03/16 11:39
S6	2360	power with voltage and computer and wireless and meter	US-PGPUB; USPAT	OR	ON	2006/03/16 11:39
S7	3327	power with voltage and computer and wireless and (meter or measure) and table	US-PGPUB; USPAT	OR	ON	2006/03/16 12:35
S8	1146	455/423.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/16 12:58
S9	4350385	@ad<="20031201"	US-PGPUB; USPAT	OR	ON	2006/03/16 15:30
S10	1006	S8 and S9	US-PGPUB; USPAT	OR	ON	2006/03/16 12:36
S11	73	S10 and volt\$5 with power	US-PGPUB; USPAT	OR	ON	2006/03/16 12:44
S12	4	S10 and voltmeter	US-PGPUB; USPAT	OR	ON	2006/03/16 12:45
S13	37	S10 and actual near4 power	US-PGPUB; USPAT	OR	ON	2006/03/16 12:48
S14	5	S10 and calibration near4 table	US-PGPUB; USPAT	OR	ON	2006/03/16 12:48
S15	3220	455/423.ccls. or 455/424.ccls. or 455/425.ccls. or 455/67.11.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/16 12:59
S16	2743	S9 and S15	US-PGPUB; USPAT	OR	ON	2006/03/16 12:59
S17	2	S16 and volt\$5 with actual near4 power	US-PGPUB; USPAT	OR	ON	2006/03/16 13:13
S18	363	S16 and volt\$5 and (computer or pc or external)	US-PGPUB; USPAT	OR	ON	2006/03/16 13:33
S19	109	S16 and (look adj up or calibrat\$3) near4 table	US-PGPUB; USPAT	OR	ON	2006/03/16 13:34
S20	25	S16 and (look adj up or calibrat\$3) near4 table with power	US-PGPUB; USPAT	OR	ON	2006/03/16 13:43

EAST Search History

S21	539	(look adj up or calibrat\$3) near4 table with power same voltage	US-PGPUB; USPAT	OR	ON	2006/03/16 13:44
S22	461	S21 and S9	US-PGPUB; USPAT	OR	ON	2006/03/16 14:11
S23	35	S22 and "455"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/16 14:26
S24	32	S23 and channel	US-PGPUB; USPAT	OR	ON	2006/03/16 14:26
S25	8326	power with voltage and (look adj up or calibrat\$4) near4 table	US-PGPUB; USPAT	OR	ON	2006/03/16 15:29
S26	841	power with voltage same (look adj up or calibrat\$4) near4 table	US-PGPUB; USPAT	OR	ON	2006/03/16 15:30
S27	1	S8 and S26	US-PGPUB; USPAT	OR	ON	2006/03/16 15:30
S28	4499197	@ad<"20031201" or @rlad<"20031201"	US-PGPUB; USPAT	OR	ON	2006/03/16 15:31
S29	786	S28 and S26	US-PGPUB; USPAT	OR	ON	2006/03/16 15:31
S30	50	S29 and "455"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/16 15:32